

Claims

1. A method of constructing a composite image within an image space of a webpage, such method comprising:
 - displaying a plurality of source images within a content area of the webpage;
 - dividing the image space of the composite image into a plurality of subspaces;
 - designating a subspace of the plurality of subspaces for receipt of a selected image of the plurality of images; and
 - resizing the selected image to fit the designated subspace of the composite image.
2. The method of constructing a composite image as in claim 1 further comprising using a mark-up language to encode the composite image.
3. The method of constructing a composite image as in claim 1 further comprising displaying the resized image in the designated subspace.
4. The method of constructing a composite image as in claim 3 further comprising displaying a plurality of text images within the content area.
5. The method of constructing a composite image as in claim 4 further comprising designating a subspace of the plurality of subspaces for receipt of a selected text image of the plurality of text images.
6. The method of constructing a composite image as in claim 5 further comprising resizing the selected text image of the plurality of text images to fit the designated space.
7. The method of constructing a composite image as in claim 6 further comprising displaying the resized text image in the designated subspace.

- 1
- 2 8. The method of constructing a composite image as in claim 6 wherein the
- 3 step of displaying the plurality of text images within the content area further
- 4 comprises editing text within a text image of the plurality of text images.
- 5
- 6 9. The method of constructing a composite image as in claim 7 wherein the
- 7 step of displaying the text image within the designated subspace further comprises
- 8 editing a content of the text image within the designated space.
- 9
- 10 10. The method of constructing a composite image as in claim 9 further
- 11 comprising dividing a subspace of the plurality of subspaces into a text area and an
- 12 image area.
- 13
- 14 11. The method of constructing a composite image as in claim 10 wherein the
- 15 step of designating the subspace further comprises dragging a text image of the
- 16 plurality 30 of text images to the text area of the divided subspace.
- 17
- 18 12. The method of constructing a composite image as in claim 10 wherein the
- 19 step of designating the subspace further comprises dragging a source image of the
- 20 plurality of source images to the image area of the divided subspace.
- 21
- 22 13. The method of constructing a composite image as in claim 1 further
- 23 comprising disposing lines around a subspace of the plurality of subspaces.
- 24
- 25 14. An apparatus for constructing a composite image within an image space of
- 26 a webpage, such method comprising:
- 27 means for displaying a plurality of source images within a content area of the
- 28 webpage;
- 29 means for dividing the image space of the composite image into a plurality of
- 30 subspaces;

1 means for designating a subspace of the plurality of subspaces for receipt of
2 a selected image of the plurality of images; and

3 means for resizing the selected image to fit the designated subspace of the
4 composite image.

5
6 15. The apparatus for constructing a composite image as in claim 14 further
7 comprising means for using a mark-up language to encode the composite image.

8
9 16. The apparatus for constructing a composite image as in claim 14 further
10 comprising means for displaying the resized image in the designated subspace.

11
12 17. The apparatus for constructing a composite image as in claim 15 further
13 comprising means for displaying a plurality of text images within the content
14 area.

15
16 18. The apparatus for constructing a composite image as in claim 17 further
17 comprising means for designating a subspace of the plurality of subspaces for
18 receipt of a selected text image of the plurality of text images.

19
20 19. The apparatus for constructing a composite image as in claim 18 further
21 comprising means for resizing the selected text image of the plurality of text
22 images to fit the designated space.

23
24 20. The apparatus for constructing a composite image as in claim 19 further
25 comprising means for displaying the resized text image in the designated subspace.

26
27 21. The apparatus for constructing a composite image as in claim 19 wherein
28 the means for displaying the plurality of text images within the content area further
29 comprises means for editing text within a text image of the plurality of text images.

30

1 22. The apparatus for constructing a composite image as in claim 20 wherein
 2 the means for displaying the text image within the designated subspace further
 3 comprises means for editing a content of the text image within the designated
 4 space.

5
 6 23. The apparatus for constructing a composite image as in claim 22 further
 7 comprising means for dividing a subspace of the plurality of subspaces into a text
 8 area and an image area.

9
 10 24. The apparatus for constructing a composite image assign claim 23 wherein
 11 the means for designating the subspace further comprises means for dragging a text
 12 image of the plurality of text images to the text area of the divided subspace.

13
 14 25. The apparatus for constructing a composite image as in claim 23 wherein
 15 the means for designating the subspace further comprises means for dragging a
 16 source image of the plurality of source images to the image area of the divided
 17 subspace.

18
 19 26. The apparatus for constructing a composite image as in claim 14 further
 20 comprising means for disposing lines around a subspace of the plurality of
 21 subspaces.

22
 23 27. An apparatus for constructing a composite image within an image space of
 24 a webpage, such method comprising:

25 a webpage adapted to display a plurality of source images within a content
 26 area of the webpage;

27 means for dividing the image space of the composite image into a plurality
 28 of subspaces;

29 means for designating a subspace of the plurality of subspaces for receipt of
 30 a selected image of the plurality of images; and

means for resizing the selected image to fit the 5 designated subspace of the composite image.

28. The apparatus for constructing a composite image as in claim 27 further comprising means for using a mark-up language to encode the composite image.

29. The apparatus for constructing a composite image as in claim 27 further comprising means for displaying the resized image in the designated subspace.

30. The apparatus for constructing a composite image as in claim 28 further comprising means for displaying a plurality of text images within the content area.

31. The apparatus for constructing a composite image as in claim 30 further comprising means for designating a subspace of the plurality of subspaces for receipt of a selected text image of the plurality of text images.

32. The apparatus for constructing a composite image as in claim 31 further comprising means for resizing the selected text image of the plurality of text images to fit the designated space.

33. The apparatus for constructing a composite image as in claim 32 further comprising means for displaying the resized text image in the designated subspace.

34. The apparatus for constructing a composite image as in claim 32 wherein the means for displaying the plurality of text images within the content area further comprises means for editing text within a text image of the plurality of text images.

35. The apparatus for constructing a composite image as in claim 33 wherein the means for displaying the text image within the designated subspace further comprises means for editing a content of the text image within the designated space.

1

2 36. The apparatus for constructing a composite image as in claim 35 further
3 comprising means for dividing a subspace of the plurality of subspaces into a text
4 area and an image area.

5

6 37. The apparatus for constructing a composite image as in claim 33 wherein
7 the means for designating the subspace further comprises means for dragging a text
8 image of the plurality of text images to the text area of the divided subspace.

9

10 38. The apparatus for constructing a composite image as in claim 36 wherein
11 the means for designating the subspace further comprises means for dragging a
12 source image of the plurality of source images to the image area of the divided
13 subspace.

14

15 39. The apparatus for constructing a composite image as in claim 27 further
16 comprising means for disposing lines around a subspace of, the plurality of
17 subspaces.